



# TULE RIVER TRIBAL COUNCIL

## TULE RIVER INDIAN RESERVATION

### ATTACHMENT 1

#### MINIMUM MATERIALS / PERFORMANCE SPECIFICATIONS

##### Vinyl Tile, Carpet and Pad, Ceramic Tile

###### A. Scope of Work:

Contractor shall provide: a) vinyl tile floors in bathrooms, laundry and closets; b) carpet and pad in great room, bedrooms and bedroom closets; c) ceramic tile in kitchen and dining room.

###### Material Specifications

At a minimum, Contractor shall provide the following:

1. Interior carpet shall be Stainmaster (or equal) having the following :

- Exceptional durability for active families
- Easy to clean
- Stain and soil resistant
- Lifetime\* warranty protection

Contractor to provide the following:

- Sample patterns and colors.

2. Carpet Pad shall be Stainmaster (or equal) having the following:

- 9.12mm Rubber Carpet Padding
- Breathable moisture barrier
- resist mold and mildew in the cushion
- Approved for high-traffic areas, including stairs
- Life of the home limited warranty

3. Vinyl Tile shall be Tarkett (or equal) having the following

- Acceptable sizes shall be 12"x12" or 16"x16"
- Must be applied with mastic glue
- Must be a minimum of 2mm and pattern thru the tile.
- Must be scratch and stain resistant.
- Minimum 5 year warranty.

Contractor to provide the following:

- Sample patterns and colors.

4. Ceramic Tile shall be:

- Maximum 12"x12" by minimum 8MM thickness.
- Glazed porcelain.
- Edge style shall be slightly rounded.
- PEI rating of 4 (moderate to heavy traffic)
- Chemical resistant and impervious to water.
- Breaking strength of 500 to 750 lbs.
- ADA compliant.
- Textured surface.

Contractor to provide the following:

- Sample patterns and colors.
- Sample grout colors.